

## Zehnder Yucca Series

**zehnder** *yucca*


**zehnder** *yucca asymmetric*

**zehnder**



The dream of a comfortable home can now be realised. The models of the Yucca series, whose indisputable advantage is their elegance, are pleasing to the eye and will warm the soul and the body. They create heat and turn your bathroom into an oasis for rest and a source of calm. Variations of the Yucca model provide sufficient space to warm up the towels and other items or to dry them after use. Yucca radiators on request water-filled or electric. They offer a wide selection of dimensions and colours. They are supplied ready for installation, complete with mounting brackets of matching colour.

The version with symmetrical placement of tubes makes the Yucca radiators ideal for locating in large, spacious bathrooms. This model will also adorn any sauna, fitness salon, recreation room, kitchen, or foyer. Groups of three horizontal tubes are placed symmetrically either side the manifolds and are perfectly suited for drying or warming of towels. The assembly on request single-row or double-row. The Yucca radiators are constructed of precision steel horizontal tubes, securely and invisibly welded to the vertical manifolds.



Material: Steel  
 Operating pressure: up to 12 bar  
 Connection: From below, G 1/2"  
 On request supplied with the connection block concealed behind a cover, coated to match the radiator.  
 Coating: Enamel (Colours shown in Zehnder catalogue), Chrome-plated (not all models)  
 Large selection of additional accessories.

Models for closed heating systems:


Model	Overall height mm	Overall length mm	Heat capacity (W)	
			$\Delta T=50K$	$\Delta T=60K$
<b>Single-row model</b>				
YS 50-90	908	500	321	404
YS 50-130	1340	500	477	600
YS 50-180	1772	500	621	781
YS 60-130	1340	600	541	681
YS 60-180	1772	600	706	888
YS 80-130	1340	800	661	832
YS 80-180	1772	800	863	1086
<b>Double-row model</b>				
YSD 50-90	908	500	484	609
YSD 50-130	1340	500	717	902
YSD 50-180	1772	500	926	1165
YSD 60-130	1340	600	823	1035
YSD 60-180	1772	600	1063	1337
YSD 80-130	1340	800	1024	1288
YSD 80-180	1772	800	1322	1663

Electric models:

Model	Overall height mm	Overall length mm	Immersion Electric rating
			(W)
<b>Single-row model</b>			
YSE 50-90	908	500	300
YSE 50-130	1340	500	300
YSE 50-180	1772	500	600
YSE 60-130	1340	600	300
YSE 60-180	1772	600	600
YSE 80-130	1340	800	600
YSE 80-180	1772	800	600
<b>Double-row model</b>			
YSDE 50-90	908	500	300
YSDE 50-130	1340	500	600
YSDE 50-180	1772	500	900
YSDE 60-130	1340	600	600
YSDE 60-180	1772	600	900
YSDE 80-130	1340	800	900
YSDE 80-180	1772	800	1200

# zehnder yucca asymmetric

Utilizing the Yucca asymmetric radiator, you will be able to create the bathroom of your dreams. On request mounted against a wall or installed as a partition, thereby turning any room, be it small or large, into a warm and cozy place. Groups of three horizontal radiator tubes project out to the right or to the left of the manifolds. The assembly on request single-row or double-row.



Material: Steel  
 Operating pressure: up to 12 bar  
 Connection: From below, G 1/2"  
 On request supplied with the connection block concealed behind a cover, coated to match the radiator.  
 Coating: Enamel (Colours shown in Zehnder catalogue), Chrome-plated (not all models)  
 Large selection of additional accessories.

**Models for closed heating systems:**

Model	Overall height mm	Overall length mm	Heat capacity (W)	
			ΔT=50K	ΔT=60K
<b>Single-row model</b>				
YA 40-130	1304	378	439	552
YA 40-170	1736	378	574	722
YA 50-90	872	478	353	444
YA 50-130	1304	478	525	660
YA 50-170	1736	478	696	876
YA 60-130	1304	578	607	764
YA 60-170	1736	578	798	1004
<b>Double-row model</b>				
YAD 40-130	1304	378	625	786
YAD 40-170	1736	378	832	1047
YAD 50-90	872	478	523	658
YAD 50-130	1304	478	763	960
YAD 50-170	1736	478	995	1252
YAD 60-130	1304	578	880	1107
YAD 60-170	1736	578	1151	1448

**Electric models:**

Model	Overall height mm	Overall length mm	Immersion Electric rating
			(W)
<b>Single-row model</b>			
YAE 40-130	1304	378	300
YAE 40-170	1736	378	300
YAE 50-90	872	478	300
YAE 50-130	1304	478	300
YAE 50-170	1736	478	600
YAE 60-130	1304	578	600
YAE 60-170	1736	578	600
<b>Double-row model</b>			
YADE 40-130	1304	378	600
YADE 40-170	1736	378	600
YADE 50-90	872	478	300
YADE 50-130	1304	478	600
YADE 50-170	1736	478	900
YADE 60-130	1304	578	600
YADE 60-170	1736	578	900



Avenida da Conduta, 836  
 4420-619 GONDOMAR  
 PORTUGAL  
 Tel:(+351) 22 372 03 92 Fax:(+351) 22 379 09 08  
 info@climaconforto.pt www.climaconforto.pt